

DRYER-D

Dehumidifier Model: DSF-60D (WIFI)




Three-layer filter:

01

High density cotton filter

It can filter dust and hair. The filtration speed is fast, the airflow resistance is low, and the ventilation performance is good. It can be cleaned and the effect after washing is not weakened.



02

Honeycomb activated carbon filter:

Strong adsorption and fast speed. The use of polar molecules can be recycled.



03

HEPA filter

Filter particles in the air to purify the air and make the air fresher.




Dryer-D by MTS

บริษัท เอ็มทีเอสซีเอ็นซี ซิสเต็ม จำกัด 48/300 ซอยหทัยราษฎร์ 37 ถนนหทัยราษฎร์ แขวงสามวาตะวันตก เขตคลองสามวา กรุงเทพฯ 10510


Tel & Fax: 02-9067988, 081-4032224, 087-0520076, e-mail: dservice@dryer-d.com, www.dryer-d.com

DRYER-D

Installation characteristics within the ceiling



Installation characteristics in the ceiling in the room



Dryer-D by MTS

บริษัท เอ็มทีเอสซีเอ็นซี ซิสเต็ม จำกัด 48/300 ซอยหทัยราษฎร์ 37 ถนนหทัยราษฎร์ แขวงสามวาตะวันตก เขตคลองสามวา กรุงเทพฯ 10510

Tel & Fax: 02-9067988, 081-4032224, 087-0520076, e-mail: dservice@dryer-d.com, www.dryer-d.com

DRYER-D

Specification

Model	DSF-60D (WIFI)
Series	Household
Voltage/Cycle	220V /50Hz
Power Input (W)	850W
Running Current	3.8A
Dehumidifying Capacity	60L/Day (30°C, 80%RH)
Humidity Set	31% - 90% RH
Humidity level can be set	+/- 1%RH
Working mode humidity set	compressor stops when the desired humidity value is reached. But the fan is still working
Fan Motor	Centrifugal fan 2 speed (Low , High)
Timer On, Timer Off	Yes 1-24 hour
Display screen	Show Current humidity Show set humidity Show temperature
Coverage area	50 - 90 sq.m (High 3 m)
Refrigerant	R134a / 570g*2 Compressor
Air Flow	High 600 m ³ /h , 350 cfm Low 500 m ³ /h , 290 cfm
Drainage Method	Direct Drain ½ นิ้ว or 15 mm
Working temperature range	5°C- 38°C
Air inlet and Outlet size	200 mm / 7.8 นิ้ว
Fresh Air inlet size	150 mm/ 5.9 นิ้ว
Sensor	Humidity sensor "RHI"
Noise	≤60dB at a distance of 1 m.
Three – layer filter	1.Cotton Filter 2. Carbon filter 3. HEPA filter
Control Type	Digital Micro-Computer
Safety	3 min delay protection / Show failure code / Automatic Defrost
Choose to use 3 modes	1.InnerDehum 2. OuterDehum 3.Outer Fresh Air
Wifi connect	Connect to use via WiFi With the Smart Life application
Color	White and Black
Unit Dimension (mm.)	776*692*246 (±5))
N/W	45Kg (±2)

Dryer-D by MTS

บริษัท เอ็มทีเอสซีเอ็นซี ซิสเต็ม จำกัด 48/300 ซอยหทัยราษฎร์ 37 ถนนหทัยราษฎร์ แขวงสามวาตะวันตก เขตคลองสามวา กรุงเทพฯ 10510

Tel & Fax: 02-9067988, 081-4032224, 087-0520076, e-mail: dservice@dryer-d.com, www.dryer-d.com